Atty Dkt. No.: RICE-032 USSN: 10/502,145

AMENDMENTS TO THE CLAIMS

Please amend the claims as shown below.

- 1. (Original) An antibody that is reactive with an extracellular loop(s) of C5aR other than the N-terminal domain, wherein the antibody reduces or inhibits the binding of C5a to C5aR.
- 2. (Original) An antibody according to claim 1, wherein the antibody is reactive with an epitope comprising the second extracellular loop (residues 175 to 206) of C5aR.
- 3. (Currently Amended) An antibody that is reactive with the same epitope of C5aR as MAb 7F3 a monoclonal antibody as deposited with ECACC under accession number 00110609, wherein the antibody reduces or inhibits the binding of C5a to C5aR.
- 4. (Currently Amended) An antibody that is reactive with the same epitope of C5aR as MAb 6C12 a monoclonal antibody as deposited with ECACC under accession number 02090226, wherein the antibody reduces or inhibits the binding of C5a to C5aR.
- 5. (Currently Amended) An antibody that is reactive with the same epitope of C5aR as MAb 12D4 a monoclonal antibody as deposited with ECACC under accession number 02090227, wherein the antibody reduces or inhibits the binding of C5a to C5aR.
- 6. (Currently Amended) An antibody that binds to C5aR, wherein the antibody competitively inhibits the binding of MAb 7F3 a monoclonal antibody as deposited with ECACC under accession number 00110609 to C5aR.
- 7. (Currently Amended) An antibody that binds to C5aR, wherein the antibody competitively inhibits the binding of MAb 6C12 a monoclonal antibody as deposited with ECACC under accession number 02090226 to C5aR.

USSN: 10/502,145

8. (Currently Amended) An antibody that binds to C5aR, wherein the antibody competitively

inhibits the binding of MAb 12D4 a monoclonal antibody as deposited with ECACC under

accession number 02090227 to C5aR.

9. (Currently Amended) An antibody according to claim 1, wherein the comparative binding

specificity is determined by antibody-antibody competition assays in the presence of C5aR or a

polypeptide comprising an extracellular loop of C5aR.

10. (Currently Amended) An antibody comprising substantially the same light and [[/or]] heavy

chain sequences as shown in SEQ ID NO:19 and SEQ ID NO:21 respectively, wherein the antibody

reduces or inhibits the binding of C5a to C5aR.

11.-14. (**Cancelled**)

15. (Currently Amended) An antibody comprising substantially the same light and [[/or]] heavy

chain sequences as shown in SEQ ID NO:15 and SEQ ID NO:17 respectively, wherein the antibody

reduces or inhibits the binding of C5a to C5aR.

16.-19. (**Cancelled**)

20. (Currently Amended) An antibody comprising substantially the same light and [[/or]] heavy

chain sequences as shown in SEQ ID NO:23 and SEQ ID NO:25 respectively, wherein the antibody

reduces or inhibits the binding of C5a to C5aR.

21.-24. (**Cancelled**)

25. (Currently Amended) An antibody according to <u>claim</u> 1, wherein the antibody also inhibits

activation of neutrophils by a chemoattractant ligand other than C5a.

26. (Previously Presented) An antibody according to claim 1, wherein the antibody is a monoclonal

or recombinant antibody.

5

USSN: 10/502,145

27. (Previously Presented) An antibody according to claim 1, wherein the antibody is a chimeric

antibody or a humanized antibody.

28. (Previously Presented) An antibody according to claim 1, wherein the antibody is a class IgG2a

or class IgG3 antibody.

29. (Currently Amended) A monoclonal antibody selected from the group consisting of MAb 7F3,

MAb 6C12 and MAb 12D4 a monoclonal antibody as deposited with ECACC under accession

number 00110609, a monoclonal antibody as deposited with ECACC under accession number

02090226, and a monoclonal antibody as deposited with ECACC under accession number

<u>02090227</u>.

30. (Original) A hybridoma as deposited with ECACC under accession number 00110609.

31. (Original) A hybridoma as deposited with ECACC under accession number 02090226.

32. (Original) A hybridoma as deposited with ECACC under accession number 02090227.

33. (Currently Amended) A conjugate comprising an antibody of claim 1, and a therapeutic agent.

34. (Original) A conjugate according to claim 33, wherein the therapeutic agent is a toxin.

35. (Original) A conjugate according to claim 33, wherein the toxin is a *Pseudomonas* exotoxin or a

derivative thereof.

36. (Currently Amended) A conjugate comprising an antibody of claim 1, and a detectable label.

37. (Original) A conjugate according to claim 36, wherein the label is selected from the group

consisting of a radiolabel, a fluorescent label, an enzymatic label and contrast media.

6

USSN: 10/502,145

38. (Previously Presented) An isolated nucleic acid molecule, the nucleic acid molecule comprising a sequence encoding an antibody of claim 1.

- 39. (Previously Presented) A composition comprising a antibody according to claim 1 and a pharmaceutically acceptable carrier.
- 40. (Withdrawn) A method for inhibiting the interaction of a cell bearing C5aR with a ligand thereof, the method comprising exposing the cell to an antibody of any one of claim 1.
- 41. (Withdrawn) A method for inhibiting C5aR activity in a cell, the method comprising exposing the cell to an antibody of any one of claim 1.
- 42. (Withdrawn) A method of treating a disorder involving neutrophil migration in a subject, the method comprising administering to the subject an antibody of any one of claim 1.
- 43. (Withdrawn) A method for diagnosing a disorder involving neutrophil migration in a subject, the method comprising contacting a sample obtained from the subject with a conjugate of claim 36, and detecting immunospecific binding between the conjugate and the sample.
- 44. (Withdrawn) A method according to claim 43, wherein the method is performed *in vitro* using histological specimens or subfractions of tissue or fluid obtained from the subject.
- 45. (Withdrawn) A method according to claim 43, wherein the method is performed in vivo.
- 46. (Withdrawn) A method for diagnosing a disorder involving neutrophil migration in a subject, the method comprising administering to the subject an antibody of any one of claim 1 labeled with an imaging agent under conditions so as to form a complex between the antibody and cells presenting C5aR in the subject, and imaging the complex.
- 47. (Withdrawn) A method according to any one of claim 42, wherein the disorder is an immunopathological disorder.

USSN: 10/502,145

48. (Withdrawn) A method for delivering a therapeutic agent to a site of inflammation in a subject,

the method comprising administering to the subject a conjugate of claim 33.

49. (Withdrawn) A method for introducing genetic material into cells presenting C5aR, the method

comprising contacting the cells with an antibody of claim 1, wherein the antibody is attached to or

associated with genetic material.

50. (Withdrawn) A method according to claim 49, wherein the cells presenting C5aR are selected

from the group consisting of granulocytes, leukocytes, such as monocytes, macrophages, basophils and

eosinophils, mast cells and lymphocytes including T cells, dendritic cells, and non-myeloid cells such as

endothelial cells and smooth muscle cells.

51. (Withdrawn) A method of treating a disorder involving neutrophil migration in a subject, the

method comprising introducing into cells of the subject a polynucleotide encoding an antibody

according to claim 1 such that the antibody is expressed in vivo.

New Claims:

52. (New) An antibody comprising:

a heavy chain comprising heavy chain CDR loop sequences CDR1, CDR2 and CDR3 as shown

in SEQ ID NO:26, SEQ ID NO:27 and SEQ ID NO:28, respectively; and

a light chain comprising light chain CDR loop sequences as defined by amino acid residues 24 to

39, 55 to 61 and 94 to 102 of the variable light chain sequence as shown in SEQ ID NO:19,

wherein the antibody reduces or inhibits the binding of C5a to C5aR.

53. (New) An antibody comprising:

a heavy chain comprising heavy chain CDR loop sequences CDR1, CDR2 and CDR3 as shown

in SEQ ID NO:29, SEQ ID NO:30 and SEQ ID NO:31, respectively; and

a light chain comprising light chain CDR loop sequences as defined by amino acid residues 24 to

39, 55 to 61 and 94 to 102 of the variable light chain sequence as shown in SEQ ID NO:15,

wherein the antibody reduces or inhibits the binding of C5a to C5aR.

8

Atty Dkt. No.: RICE-032 USSN: 10/502,145

54. (New) An antibody comprising:

a heavy chain comprising heavy chain CDR loop sequences CDR1, CDR2 and CDR3 as shown in SEQ ID NO:32, SEQ ID NO:33 and SEQ ID NO:34, respectively; and

a light chain comprising light chain CDR loop sequences as defined by amino acid residues 24 to 39, 55 to 61 and 94 to 102 of the variable light chain sequence as shown in SEQ ID NO:23,

wherein the antibody reduces or inhibits the binding of C5a to C5aR.